


ÜBERZEUGEND IN JEDER GRÖSSE



Standardbehälter - Artikelnummer	Innenabmessungen [mm]					Aussenabmessungen [mm]					Gewicht [kg]
	Länge L	Breite B	Höhe H	Höhe		Länge L	Breite B	Höhe H	Höhe		
				Boden hb	Deckel hd				Boden hb	Deckel hd	
102 169-21	155	155	165	110	55	180	200	195	120	75	
102 169-22	155	155	220	110	110	180	200	250	120	130	
102 057	280	250	325	165	160	305	285	350	175	175	2,2
102 083	285	250	210	130	80	305	285	240	145	95	1,8
102 067	300	195	170	80	90	325	240	205	100	105	1,9
102 070-21	340	320	325	220	105	400	380	365	240	125	3,8
102 070-22	340	320	470	230	240	400	380	510	250	260	4,8
102 070-31	340	320	425	320	105	400	380	465	340	125	4,1
102 070-32	340	320	560	320	240	400	380	600	340	260	4,8
102 070-33	340	320	640	320	320	400	380	690	340	350	4,9
102 004-11	350	245	140	65	75	380	290	170	85	85	2
102 004-21	350	245	200	125	75	380	290	230	145	85	2,3
102 004-22	350	245	260	125	135	380	290	290	145	145	2,6
102 040	355	245	205	130	75	385	275	240	140	100	3,5
102 163-11	355	290	175	100	75	405	335	205	110	95	
102 163-21	355	290	215	140	75	405	335	245	150	95	
102 163-31	355	290	265	190	75	405	335	295	200	95	
102 149	370	330	220	105	115	400	380	240	115	125	3,5
102 099	380	320	335	240	95	420	370	355	250	105	4
102 045	410	220	365	240	125	440	250	390	250	140	3,2
102 092	410	330	155	85	70	460	385	170	90	80	2,9
102 061	420	210	330	245	85	465	250	360	260	100	3
102 174-31	440	440	370	280	90	495	495	390	290	100	
102 174-32	440	440	425	280	145	495	495	445	290	155	
102 174-41	440	440	420	330	90	495	495	440	340	100	
102 174-42	440	440	475	330	145	495	495	495	340	155	
102 036-21	445	300	330	180	150	490	350	360	195	165	3,5
102 036-31	445	300	450	300	150	490	350	480	315	165	4
102 178-21	445	355	135	80	55	465	405	165	90	75	
102 178-22	445	355	180	80	100	465	405	210	90	120	
102 178-31	445	355	185	130	55	465	405	270	195	75	
102 178-32	445	355	230	130	100	465	405	315	195	120	
102 178-41	445	355	240	185	55	465	405	270	195	75	
102 178-42	445	355	285	185	100	465	405	315	195	120	
102 178-44	445	355	375	185	190	465	405	405	195	210	
102 064	460	215	210	105	105	490	240	240	120	120	3
102 177-31	475	390	185	130	55	495	440	215	140	75	
102 177-32	475	390	230	130	100	495	440	260	140	120	
102 177-41	475	390	240	185	55	495	440	270	195	75	
102 177-42	475	390	285	185	100	495	440	315	195	120	
102 177-44	475	390	375	185	190	495	440	405	195	210	
102 072-22	480	365	225	110	115	530	410	245	120	125	4
102 072-32	480	365	280	165	115	530	410	300	175	125	4,3
102 072-33	480	365	335	165	170	530	410	355	175	180	5,3
102 072-42	480	365	325	210	115	530	410	345	220	125	4,6
102 072-43	480	365	380	210	170	530	410	400	220	180	5,4
102 072-44	480	365	425	210	215	530	410	445	220	225	5,6
102 072-52	480	365	370	255	115	530	410	390	265	125	5
102 072-53	480	365	425	255	170	530	410	445	265	180	5,6
102 072-54	480	365	470	255	215	530	410	490	265	225	5,8
102 072-55	480	365	515	255	260	530	410	535	265	270	6
102 050-11	490	365	130	75	55	515	425	165	85	80	3,8
102 050-21	490	365	165	110	55	515	425	200	120	80	3,8
102 050-22	490	365	225	110	115	515	425	260	120	140	4,2
102 050-31	490	365	190	135	55	515	425	225	145	80	5,5
102 050-32	490	365	250	135	115	515	425	285	145	140	5,6
102 050-33	490	365	280	135	145	515	425	315	145	170	5,8
102 023-21	490	365	145	90	55	515	415	170	100	70	3,2
102 023-31	490	365	185	130	55	515	415	210	140	70	3,4
102 023-33	490	365	255	125	130	515	415	280	140	140	4,15
54 42 29-15	500	370	275	135	140	535	415	285	140	145	4,3
102 039	500	500	490	240	250	550	550	530	260	270	6,5
102 028-20	515	315	265	205	60	565	365	290	205	85	4
102 028-21	515	315	285	205	80	565	365	320	215	105	
102 028-30	515	315	340	280	60	565	365	375	290	85	
102 028-31	515	315	360	280	80	565	365	395	290	105	4,3
102 068-22	530	550	200	95	105	620	605	230	110	120	6,3
102 068-32	530	550	245	140	105	620	605	275	155	120	6,4
102 068-33	530	550	290	140	150	620	605	320	155	165	6,5
102 068-42	530	550	300	195	105	620	605	330	210	120	6,5
102 068-43	530	550	345	195	150	620	605	375	210	165	7,2
102 068-44	530	550	400	195	205	620	605	430	210	220	7,4
102 068-52	530	550	360	255	105	620	605	390	270	120	6,8
102 068-53	530	550	405	255	150	620	605	435	270	165	8,2

ÜBERZEUGEND IN JEDER GRÖSSE



Standardbehälter - Artikelnummer	Innenabmessungen [mm]					Aussenabmessungen [mm]					Gewicht [kg]
	Länge L	Breite B	Höhe H	Höhe		Länge L	Breite B	Höhe H	Höhe		
				Boden hb	Deckel hd				Boden hb	Deckel hd	
102 068-54	530	550	460	255	205	620	605	490	270	220	8,6
102 068-55	530	550	520	255	265	620	605	550	270	280	8,8
6 4 4	550	350	390	285	105	605	405	410	300	110	5,5
102 051	560	260	295	145	150	590	295	335	165	170	4,4
61 42 12-6	560	365	100	55	45	615	420	125	70	55	4,3
61 42 16-6	560	365	140	95	45	615	420	165	110	55	4,4
61 42 23-7	560	365	210	140	70	615	420	235	155	80	4,7
102 010	565	265	425	285	140	600	310	460	310	150	4,8
102 087-22	565	360	400	195	205	615	410	440	215	225	5,7
102 087-42	565	360	595	390	205	615	410	625	400	225	6
62 50 25-13	565	450	240	115	125	620	500	250	120	130	5
62 50 30-16	565	450	300	145	155	620	500	310	150	160	5,3
102 069-11	580	450	210	100	110	635	510	230	110	120	6,2
102 069-21	580	450	310	200	110	635	510	330	210	120	6,3
102 069-22	580	450	410	200	210	635	510	420	205	215	6,4
102 069-31	580	450	410	300	110	635	510	425	305	120	6,4
102 069-32	580	450	510	300	210	635	510	520	305	215	6,8
102 069-33	580	450	610	300	310	635	510	620	305	315	7,2
102 027	585	510	240	115	125	635	560	270	130	140	6,2
102 155-31	590	350	255	190	65	615	405	285	200	85	5
102 155-32	590	350	315	190	125	615	405	345	200	145	5,3
102 155-33	590	350	385	190	195	615	405	415	200	215	5,5
102 161-21	590	430	175	120	55	650	490	205	130	75	5,3
102 161-22	590	430	245	120	125	650	490	275	130	145	5,6
102 097	595	595	500	250	250	650	650	530	260	270	9,2
66 53 27-11	610	480	250	155	95	660	525	265	160	105	5,5
66 53 34-18	610	480	315	150	165	660	525	330	155	175	5,8
102 062-11	620	350	220	105	115	680	400	240	115	125	4,5
102 062-20	620	350	230	155	75	680	400	260	165	95	4,6
102 062-21	620	350	270	155	115	680	400	290	165	125	4,8
102 062-22	620	350	320	155	165	680	400	340	165	175	5
102 062-30	620	350	330	255	75	680	400	360	265	95	5,3
102 062-31	620	350	370	255	115	680	400	390	265	125	5,2
102 062-32	620	350	420	255	165	680	400	440	265	175	5,2
102 062-33	620	350	520	255	265	680	400	540	265	275	5,5
102 062-40	620	350	430	355	75	680	400	460	365	95	6,4
102 062-41	620	350	470	355	115	680	400	490	365	125	6,2
102 062-42	620	350	520	355	165	680	400	540	365	175	6,3
102 062-43	620	350	620	355	265	680	400	640	365	275	7,5
102 062-44	620	350	720	355	365	680	400	740	365	375	7,5
102 059	625	520	200	100	100	670	565	225	110	115	5,3
102 024-21	640	405	145	90	55	665	450	170	100	70	4,3
102 024-31	640	405	185	130	55	665	450	210	140	70	4,4
102 024-33	640	405	255	125	130	665	450	280	135	145	4,8
102 012-21	650	555	340	240	100	700	600	380	260	120	8,8
102 037	660	570	780	385	395	700	610	805	400	405	8,5
102 022	665	665	510	340	170	710	710	540	355	185	10
102 008-21	680	345	220	175	45	725	390	245	190	55	5,8
102 008-31	680	345	280	235	45	725	390	305	250	55	6
102 008-41	680	345	340	295	45	725	390	365	310	55	6,9
102 029	680	325	360	280	80	730	375	380	290	90	5,8
102 030	680	515	360	280	80	730	565	380	290	90	7,5
102 044	680	620	200	100	100	730	670	230	115	115	8,8
102 048	695	150	215	105	110	720	170	230	115	115	3
102 002-21	705	280	200	150	50	750	330	230	170	60	5,6
102 002-31	705	280	270	220	50	750	330	300	240	60	5,7
102 002-32	705	280	360	220	140	750	330	390	240	150	5,8
102 002-41	705	280	330	280	50	750	330	360	300	60	5,8
102 002-42	705	280	420	280	140	750	330	450	300	150	5,9
102 086	710	280	275	135	140	760	330	315	155	160	5,5
102 034	740	340	220	110	110	790	390	260	130	130	5
102 066	745	340	400	200	200	800	390	430	215	215	7
102 063-750	750	210	150	75	75	770	250	175	85	90	3,8
102 003-21	750	330	200	150	50	800	375	230	170	60	5,8
102 003-31	750	330	270	220	50	800	375	300	240	60	5,9
102 003-32	750	330	360	220	140	800	375	390	240	150	6
102 003-41	750	330	330	280	50	800	375	360	300	60	6
102 003-42	750	330	420	280	140	800	375	450	300	150	6,2
102 065	750	655	600	295	305	820	720	630	310	320	11
102 159-11	755	555	105	50	55	805	605	135			
102 159-21	755	555	195	140	55	805	605	225			
102 159-22	755	555	290	140	150	805	605	320			
102 159-31	755	555	285	230	55	805	605	410			

ÜBERZEUGEND IN JEDER GRÖSSE



Standardbehälter - Artikelnummer	Innenabmessungen [mm]					Aussenabmessungen [mm]					Gewicht [kg]
	Länge L	Breite B	Höhe H	Höhe		Länge L	Breite B	Höhe H	Höhe		
				Boden hb	Deckel hd				Boden hb	Deckel hd	
102 159-32	755	555	380	230	150	805	605	410			
102 159-33	755	555	465	230	235	805	605	410			
102 159-41	755	555	380	325	55	805	605	410			
102 159-42	755	555	475	325	150	805	605	505			
102 159-43	755	555	560	325	235	805	605	505			
102 159-44	755	555	655	325	330	805	605	505			
102 159-51	755	555	440	385	55	805	605	470			
102 159-52	755	555	535	385	150	805	605	565			
102 159-53	755	555	620	385	235	805	605	565			
102 159-54	755	555	715	385	330	805	605	565			
102 159-55	755	555	775	385	390	805	605	565			
102 176-31	764	356	360	280	80	820	405	410	310	100	
102 176-32	764	356	405	280	125	820	405	455	310	145	
102 176-41	764	356	400	320	80	820	405	450	350	100	
102 176-42	764	356	445	320	125	820	405	495	350	145	
102 080-11	780	760	170	80	90	850	850	210	100	110	14
102 080-21	780	760	270	180	90	850	850	315	205	110	15
102 080-22	780	760	370	180	190	850	850	410	200	210	16,5
102 080-41	780	760	475	385	90	850	850	515	405	110	16
102 080-42	780	760	575	385	190	850	850	615	405	210	17
102 080-44	780	760	780	385	395	850	850	820	405	415	17,8
102 006-11	785	525	205	100	105	830	570	235	110	125	6,8
102 006-21	785	525	295	190	105	830	570	325	200	125	6,9
102 006-22	785	525	385	190	195	830	570	415	200	215	7
102 006-31	785	525	360	255	105	830	570	395	270	125	7,8
102 006-32	785	525	450	255	195	830	570	480	265	215	7,9
102 006-41	785	525	435	330	105	830	570	470	345	125	8,2
102 006-42	785	525	525	330	195	830	570	560	345	215	8,5
102 006-43	785	525	595	335	260	830	570	630	325	305	8,8
102 043-21	800	800	280	170	110	850	850	345	200	145	6,1
102 043-22	800	800	335	170	165	850	850	400	200	200	6,4
102 043-31	800	800	350	240	110	850	850	415	270	145	6,6
102 043-32	800	800	405	240	165	850	850	470	270	200	6,8
102 043-33	800	800	485	240	245	850	850	550	270	280	7,2
102 053	800	445	495	400	95	850	500	530	420	110	7,6
102 060	840	640	580	290	290	890	690	620	310	310	11
102 074-31	845	575	235	155	80	890	620	265	170	95	9,5
102 074-33	845	575	320	155	165	890	620	350	170	180	9,8
102 074-41	845	575	280	200	80	890	620	318	218	100	9
102 074-43	845	575	370	205	165	890	620	400	220	180	9,9
102 074-44	845	575	420	205	215	890	620	450	220	230	10,1
102 074-51	845	575	340	260	80	890	620	370	275	95	10,2
102 074-53	845	575	425	260	165	890	620	455	275	180	10,3
102 074-54	845	575	475	260	215	890	620	505	275	230	10,5
102 074-55	845	575	520	255	265	890	620	550	270	280	10,8
102 074-61	845	575	385	305	80	890	620	415	320	95	10,9
102 074-63	845	575	470	305	165	890	620	500	320	180	11
102 074-64	845	575	520	305	215	890	620	550	320	230	11,5
102 074-65	845	575	570	305	265	890	620	600	320	280	12
102 074-66	845	575	620	305	315	890	620	650	320	330	12,5
102 156-21	875	350	185	120	65	900	405	215	130	85	
102 156-22	875	350	245	120	125	900	405	275	130	145	
102 156-31	875	350	255	190	65	900	405	285	200	85	7
102 156-32	875	350	315	190	125	900	405	345	200	145	7,3
102 156-33	875	350	385	190	195	900	405	415	200	215	7,5
102 156-41	875	350	325	260	65	900	405	355	270	85	7,4
102 156-42	875	350	385	260	125	900	405	415	270	145	7,6
102 156-43	875	350	455	260	195	900	405	485	270	215	7,8
102 156-44	875	350	525	260	265	900	405	555	270	285	8
102 153	880	280	215	105	110	940	330	235	115	120	5,8
102 073	880	280	330	220	110	940	330	350	230	120	6,6
102 154	880	280	445	220	225	940	330	465	230	235	7,1
102 082-11	880	450	220	105	115	945	510	250	120	130	7
102 082-21	880	450	320	205	115	945	510	350	220	130	7,5
102 082-22	880	450	420	205	215	945	510	450	220	230	7,8
102 082-31	880	450	420	305	115	945	510	450	320	130	7,8
102 082-32	880	450	520	305	215	945	510	550	320	230	7,9
102 082-33	880	450	620	305	315	945	510	650	320	330	8,2
102 168-11	895	510	185	90	95	955	565	215	100	115	
102 168-21	895	510	285	190	95	955	565	315	200	115	
102 168-22	895	510	385	190	195	955	565	415	200	215	
102 018-11	905	905	210	100	110	965	965	245	110	135	18,5
102 018-21	905	905	300	190	110	965	965	335	200	135	19
102 018-22	905	905	385	190	195	965	965	420	200	220	19

ÜBERZEUGEND IN JEDER GRÖSSE



Standardbehälter - Artikelnummer	Innenabmessungen [mm]					Aussenabmessungen [mm]					Gewicht [kg]
	Länge L	Breite B	Höhe H	Höhe		Länge L	Breite B	Höhe H	Höhe		
				Boden hb	Deckel hd				Boden hb	Deckel hd	
102 020-32	915	725	440	290	150	990	770	475	300	175	17,5
102 020-33	915	725	590	290	300	990	770	620	305	315	19
102 091-11	940	540	210	100	110	990	580	250	120	130	7
102 091-31	940	540	390	280	110	990	580	430	300	130	10,5
102 091-33	940	540	570	280	290	990	580	610	300	310	13,5
102 175-11	958	680	170	80	90	1020	740	210	95	115	
102 175-21	958	680	220	130	90	1020	740	260	145	115	
102 175-22	958	680	270	130	140	1020	740	310	145	165	
102 175-41	958	680	480	390	90	1020	740	520	405	115	
102 175-42	958	680	530	390	140	1020	740	570	405	165	
102 175-44	958	680	790	390	400	1020	740	830	405	425	
102 025-31	975	370	185	130	55	995	420	215	145	70	6
102 025-33	975	370	270	130	140	995	420	300	145	155	6,6
102 171-21	980	570	270	170	100	1035	625	310	185	125	
102 171-22	980	570	350	170	180	1035	625	390	185	205	
102 171-31	980	570	385	285	100	1035	625	425	300	125	
102 171-32	980	570	465	285	180	1035	625	505	300	205	
102 171-33	980	570	580	285	295	1035	625	620	300	320	
102 089	995	810	400	195	205	1065	880	440	215	225	16
102 009-11	1005	290	215	105	110	1056	313	245	120	125	6,3
102 009-21	1005	290	335	225	110	1056	313	365	240	125	7,1
102 056	1010	650	310	150	160	1060	700	350	170	180	12
102 049	1020	145	200	95	105	1045	185	215	105	110	4,1
102 033	1045	260	215	105	110	1070	310	240	115	125	5,5
102 063-1050	1045	210	150	75	75	1070	250	175	85	90	4,8
102 164	1090	865	110	50	60	1140	915	140	60	80	
102 041-11	1115	255	120	60	60	1170	305	155	70	85	6,1
102 041-21	1115	255	175	115	60	1170	305	210	125	85	6,5
102 041-22	1115	255	235	115	120	1170	305	270	125	145	
102 078-11	1150	750	175	85	90	1220	820	410	200	210	20
102 078-21	1150	750	270	180	90	1220	820	410	200	210	20
102 078-22	1150	750	370	180	190	1220	820	410	200	210	20
102 078-31	1150	750	370	280	90	1220	820	510	300	210	20,5
102 078-32	1150	750	470	280	190	1220	820	510	300	210	20,5
102 078-33	1150	750	570	280	290	1220	820	610	300	310	20,8
102 078-41	1150	750	475	385	90	1220	820	615	405	210	20,5
102 078-42	1150	750	575	385	190	1220	820	615	405	210	20,5
102 078-43	1150	750	675	385	290	1220	820	715	405	310	20,8
102 078-44	1150	750	780	385	395	1220	820	820	405	415	21
102 054	1170	350	370	180	190	1225	410	395	190	205	9,5
102 013-21	1170	495	190	130	60	1230	540	210	140	70	10,7
102 013-22	1170	495	265	130	135	1230	540	285	140	145	12
102 031-11	1195	405	315	155	160	1245	450	340	165	175	9,2
102 031-21	1195	405	410	250	160	1245	450	435	260	175	9,8
102 007-11	1220	1020	195	95	100	1290	1080	215	105	110	23
102 007-31	1220	1020	380	280	100	1290	1080	400	290	110	25
102 007-33	1220	1020	565	280	285	1290	1080	585	290	295	27
102 014-21	1240	830	315	210	105	1285	875	345	225	120	17
102 015-11	1275	260	135	65	70	1300	310	160	75	85	6
102 015-21	1275	260	170	100	70	1300	310	200	115	85	6,3
102 015-22	1275	260	215	100	115	1300	310	240	115	125	6,6
102 017-11	1300	700	370	180	190	1360	755	405	198	207	21
102 017-21	1300	700	525	335	190	1360	755	560	353	207	22
102 017-22	1300	700	680	335	345	1360	755	715	353	362	22
102 096	1335	645	410	200	210	1400	710	450	220	230	18
102 094-21	1340	390	165	90	75	1395	435	195	100	95	
102 094-22	1340	390	185	90	95	1395	435	215	100	115	
102 094-31	1340	390	205	130	75	1395	435	235	140	95	
102 094-32	1340	390	225	130	95	1395	435	255	140	115	
102 094-33	1340	390	260	130	130	1395	435	290	140	150	
102 094-41	1340	390	255	180	75	1395	435	285	190	95	
102 094-42	1340	390	275	180	95	1395	435	305	190	115	
102 094-43	1340	390	310	180	130	1395	435	340	190	150	
102 094-44	1340	390	365	180	185	1395	435	395	190	205	14,3
102 094-51	1340	390	430	355	75	1395	435	460	365	95	
102 094-52	1340	390	450	355	95	1395	435	480	365	115	
102 094-53	1340	390	485	355	130	1395	435	515	365	150	
102 094-54	1340	390	540	355	185	1395	435	570	365	205	
102 094-55	1340	390	715	355	360	1395	435	745	365	380	
102 005-21	1400	495	190	130	60	1450	550	210	140	70	13
102 005-22	1400	495	265	130	135	1450	550	285	140	145	13,5
102 162-31	1420	570	400	320	80	1490	635	450	335	115	19,3
102 162-32	1420	570	460	320	140	1490	635	510	335	175	19,9
102 157-21	1430	350	185	120	65	1455	405	215	130	85	

ÜBERZEUGEND IN JEDER GRÖSSE



Standardbehälter - Artikelnummer	Innenabmessungen [mm]					Aussenabmessungen [mm]					Gewicht [kg]
	Länge L	Breite B	Höhe H	Höhe		Länge L	Breite B	Höhe H	Höhe		
				Boden hb	Deckel hd				Boden hb	Deckel hd	
102 157-22	1430	350	245	120	125	1455	405	275	130	145	
102 157-31	1430	350	255	190	65	1455	405	285	200	85	11
102 157-32	1430	350	315	190	125	1455	405	345	200	145	11,5
102 157-33	1430	350	385	190	195	1455	405	415	200	215	12
102 167	1430	1125	110	50	60	1480	1175	140	60	80	
102 035-41	1490	800	490	390	100	1560	870	540	410	130	30
102 035-42	1490	800	540	390	150	1560	870	590	410	180	31
102 035-44	1490	800	770	380	390	1560	870	810	390	420	33
102 016-11	1495	580	160	80	80	1540	630	180	90	90	18,8
102 016-21	1495	580	280	200	80	1540	630	300	210	90	20
102 016-22	1495	580	400	200	200	1540	630	420	210	210	23,2
102 038	1610	870	670	330	340	1680	950	690	340	350	33
102 063	1690	210	150	75	75	1740	250	175	85	90	6,7
102 095	1690	575	420	205	215	1760	650	470	230	240	23
102 021-21	1785	360	215	160	55	1840	400	245	175	70	12,5
102 021-22	1785	360	325	160	165	1840	400	355	175	180	13,4
102 011	1820	865	580	290	290	1880	930	600	300	300	30
102 071-11	1825	165	165	95	70	1845	225	205	115	90	7
102 071-21	1825	165	200	130	70	1845	225	240	150	90	7,1
102 071-22	1825	165	265	130	135	1845	225	290	135	155	7,3
102 170-11	1820	770	320	155	165	1910	850	350	165	185	
102 170-21	1820	775	520	355	165	1910	850	550	365	185	
102 170-22	1820	775	720	355	365	1910	850	750	365	385	
102 158-21	1845	350	185	120	65	1880	400	285	130	85	17,5
102 158-22	1845	350	245	120	125	1880	400	275	130	145	
102 158-31	1845	350	255	190	65	1880	400	285	200	85	17,5
102 158-32	1845	350	315	190	125	1880	400	345	200	145	17,9
102 158-33	1845	350	385	190	195	1880	400	415	200	215	18
102 042	1850	490	280	135	145	1910	555	310	150	160	21
102 160-11	1995	235	140	80	60	2035	275	170	90	80	15
102 160-21	1995	235	240	180	60	2035	275	270	190	80	15,3
102 160-22	1995	235	365	180	185	2035	275	395	190	205	15,5
102 001-21	2020	875	230	150	80	2080	930	270	170	100	35,9
102 001-22	2020	875	300	150	150	2080	930	340	170	170	36,1
102 001-31	2020	875	360	280	80	2080	930	400	300	100	36,3
102 001-32	2020	875	430	280	150	2080	930	470	300	170	37
102 001-33	2020	875	560	280	280	2080	930	600	300	300	37,3